Study of the performance of 24 X 7 PHCs in the 'C' Category districts of Karnataka

Final Report

Presented to

The Executive Director
Karnataka State Health Systems Resource Centre
Dept of Health and Family Welfare
Government of Karnataka

Disclaimer

This document is the property of GRAAM (Grassroots Research and Advocacy Movement) and cannot be used or reproduced, used by any individual or organization or company without the written consent of the GRAAM. Any unauthorized usage / reproduction is strictly prohibited and may invite a legal action.

© **GRAAM 2015**



Grassroots Research And Advocacy Movement

CA-2, KIADB Industrial Housing Area, Ring Road, Hebbal, Mysore, INDIA ±570016 +91-96866-66306 | graam@graam.org.in | www.graam.org.in

Evaluation Team

Principal Advisor

Dr. R Balasubramaniam
Executive Director, GRAAM

Principal Investigator

Sham N Kashyap Head of Research, GRAAM

Research Associate

Chandrika Shetty Sr. Research Associate

Field Research Team

Mahesh, Kumar Ravi C S, Ashwath Gowda Banu, Mamta

Acknowledgements

We thank Dr Sadhana S M, Executive Director of Karnataka State Health System Resource Centre, for giving us this opportunity to conduct this study on the 24x7 PHCs in the 7C districts of North Karnataka.

We thank all the participating District Health Officers and Taluk Health Officers for supporting in conducting this study. This study would not have been possible without the co-operation of Medical officers, Staff nurses, ANMs and ASHAs and other staff of the 37 PHCs that were part of this study. We also thank the pregnant women, mothers and other community members who provided us valuable inputs related to this study.

www.graam.org.in i

Table of Contents

Acknowledgements	i
Abbreviations	vii
Executive Summary	ix
1 Introduction	1
1.1. Background	1
1.2. Need for the study	2
1.3. Arrangement of the report	3
2 Description of the evaluation study	4
2.1. Objectives of the evaluation	4
2.2. Expected outcomes	4
2.3. Logical framework and theory of change	4
2.4. Focus of the evaluation and specific objectives	7
2.5. Evaluation questions	8
2.6. Evaluation Methodology	8
2.7. Evaluation sites and sampling methods	9
2.8. Implementation of field work and data collection	11
2.9. Summary	11
3 Snapshot of performances	13
3.1. Sample description	13
3.2. Population coverage	14
3.3. Location of PHCs	14
3.4. Provision of services	15
3.5. Summary of provision of services	20
3.6. Status of infrastructure and availability of medicine	21
3.7. Status of Human Resources	23
3.8. Status of funds received	27
3.9. Summary	30
4 Contextual factors influencing service provision and utilization	31
4.1. Technical competence of staff nurse	31

	4.2. Staff nurse issues	36
	4.3. Social issues and demographic factors	37
	4.4. Intensity of diseases	39
	4.5. Accessibility and utilization of services	40
	4.6. Summary of contextual factors	44
5	Analysis of results and recommendations	46
	5.1. Summary of results	46
	5.2. Analysis of 24x7 PHC performances	49
	5.3. Aiding and hindering forces	50
	5.4. Issues related to socio-cultural practices	50
	5.5. Recommendations	52
6	References	54

List of Figures

Figure 1: Districts under the study	2
Figure 2: Logical framework adopted for the evaluation	5
Figure 3 Theory of change for Primary Health Care	6
Figure 4 WHO's Health Systems Building Blocks Framework	6
Figure 5 Patterns of deliveries in 24X7 PHCs	18
Figure 6 Influence of Lady doctors on deliveries in PHCs	26
Figure 7 Head-quarter stay of Doctors and Staff Nurses	32
Figure 8 Deliveries conducted by Doctors, Staff nurse and ANM	33
Figure 9 Response of Staff nurse on providing IFA tablets to pregnant women in the firtrimester	
Figure 10 Perception of patients or service user on level of satisfaction about the treatmegiven in the 24X7 PHCs	

www.graam.org.in iv

List of Tables

Table 1 Description of services, human resources and infrastructure at 24X7 PHCs	7
Table 2 Contextual Factors that affect the performance of 24X7 PHCs	8
Table 3 List of 24X7 PHCs selected for the study	11
Table 4 Number of PHCs selected based on deliveries per thousand population	13
Table 5 Trends in deliveries per thousand population, based on HMIS data	15
Table 6 Population covered by selected 24X7 PHCs	15
Table 7: Population covered by High, Median and Low performing PHCs	15
Table 8: Location of PHCs and their proximity to Taluk Hospital	16
Table 9: Average monthly OPD rates	16
Table 10 Average monthly in patient rates	17
Table 11: A cross tabulation of in-patient services with population covered by selected 24X7 PHCs	17
Table 12 Average monthly delivery rate	18
Table 13 Status of Infant and Maternal deaths in the selected 24X7 PHCs	
Table 14: Count of PHCs with different infant death range	19
Table 15 Timeliness in the provision of JSY	20
Table 16 Timeliness in the provision of Madilu kit	20
Table 17: Status of different services provided in the PHCs	21
Table 18 Status of available infrastructure facilities in the PHCs	22
Table 19 Status of delivery room infrastructure facilities available in the 24X7 PHCs	23
Table 20 Status of medicine availability for deliveries in the 24X7 PHCs	24
Table 21 Status of availability of doctor in 24X7 PHCs	25
Table 22 Availability of lady doctors in the 24X7 PHCs	25
Table 23 Availability of staff nurse in the selected 24X7 PHCs	27
Table 24 Vacancy positions of ANMs in the selected 24X7 PHCs	27
Table 25 Vacant positions of Lab Technician, MHV, LHV & Pharmacist in the selected 24X7 PHCs	28
Table 26 Status of funds received by 24X7 PHCs	30
Table 27 Results of assessing the technical skills of Staff nurse	34
Table 28 Skills of staff nurse to identify the different risks involved during pregnancy	36

www.graam.org.in

Table 29 Number of PHCs with trained Staff nurses	37
Table 30 Problems of Staff nurse	37
Table 31 Age of marriage of women respondents	39
Table 32 Family size of respondents	39
Table 33 Distance from PHC to Private clinic or hospital	42
Table 34 Average duration of services rendered by the Doctor and Staff nurse	43
Table 35 Assessment of PHC performance using different parameters	43
Table 36 Utilization of PHC services by people belonging to different economic categori	
Table 37 Aiding and Hindering forces influencing the performance of PHCs	52

www.graam.org.in vi

Abbreviations

ANC Antenatal Care

ANM Auxiliary Nurse Midwife

ASHA Accredited Social Health Activist

AYUSH Ayurveda Yoga Unani Siddha Homeopathy

BemOC Basic Emergency Medical Obstetric Care

BRGF Backward Regions Grant Fund

CBR Crude Birth Rate

CHC Community Health Centre

ENT Ear Nose Throat

FGD Focus Group Discussion

H High performing Primary Health Centre

HB Hemoglobin

HIV Human Immunodeficiency Virus

HMIS Hospital Management Information System

HR Human Resources

ICTC Integrated Counseling and Testing Centre

IFA Iron and Folic Acid

IMNCI Integrated Management of Neonatal and Child Illness

IMR Infant Mortality Rate

IPD In Patient Data

IPHS Indian Public Health Standards

JSSK Janani Shishu Suraksha Karyakrama

JSY Janani Suraksha Yojana

L Low performing Primary Health Centre

M Median performing Primary Health Centre

MBBS Bachelor of Medicine, Bachelor of surgery

MHV Male Health Visitor

MMR Maternal Mortality Rate

www.graam.org.in vii

NRHM National Rural Health Mission

OBC Other Backward Class

OPD Out Patient Data

OT Operation Theatre

PHC Primary Health Centre

PNC Postnatal Care

PPH Postpartum Hemorrhage

PPTCT prevention of parent-to-child transmission

RMPS Registered Medical Practitioner

SAGY Sansad Adarsh Gaon Yojana

SC Schedule Caste

ST Schedule Tribe

STD Sexual Transmitted Diseases

TB Tuberculosis

TT Tetanus Toxoid Injection

UPA United Progressive Alliance

UPS Uninterruptible Power Supply

VDRL Veneral diseases

WHO World Health Organization

www.graam.org.in viii

Executive Summary

Many Primary Health Centres in Karnataka were upgraded to function round the clock, with additional financial and human resources, to enhance the reach of public health services in rural areas and to give thrust to the efforts to reduce MMR and IMR in the state. This process began in 2008-09 and has resulted in more than 1000 24x7 PHCs in the state.

Though there is a general agreement that establishing 24 X 7 PHCs has resulted in better provisioning of health-care services, there are also complaints of these facilities being ill-equipped, under-staffed and also under-utilized. There is an urgent need to re-look at their performance, see if they are serving the intended purpose and take appropriate policy decisions to improve their efficiency and effectiveness.

Grassroots Research and Advocacy Movement (GRAAM) conducted an indepth assessment of the factors affecting the performance (both positively and negatively) of 24 X 7 PHCs in the C category districts of Karnataka, and suggest measures (both at policy and operational levels) to better their performance, at the behest of the Karnataka State Health System Resource Centre (KSHSRC). The objectives of this study were:

1. To get the snapshot of functionality of 24X7 Primary Health Centres

- 2. To find out the aiding and hindering factors affecting the performance of 24X7 PHCs
- 3. To suggest the required operational and policy change and also highlight on the possible impact due to those changes

The evaluation is conducted on a sample of 37 24x7 PHCs across the 7 C districts of North Karnataka, namely: Bidar, Gulbarga, Yadgir, Koppal, Raichur, Bagalkot and Bijapur, forming about 10% of the existing 24x7 PHCs in these districts. For the purposes of this study, 5 PHCs were chosen in each district, except for Bijapur and Gulbarga districts, where one additional PHC was chosen in each district, since these districts had higher number of PHCs in comparison to other districts.

The study used **©**ive deliveries reported in **PHCs** per thousand population per year **©**as the primary indicator to assess the performance of 24x7 PHCs. This variable was used to assess and categorize the performance of 24x7 PHCs into 3 categories: High (H), Median (M) and Low (L).

The major findings of the study are listed below:

 Most PHCs (21 out of 37) selected for the evaluation covered populations

www.graam.org.in ix

ranging between 20,000 to 40,000 (columns 4 and 5). There were 8 PHCs covering more than 40,000 people. There were no patterns that associate the population covered by the PHC or the distance to taluk hospitals with the performance of PHCs.

- The overall monthly OPD rates show a positive relationship with delivery rates. However, the comparison within the districts does not provide uniform picture this relationship. Similarly, OPD rates distance and to private clinic/hospitals, presence of medical officers and similar factors did not discernible provide any relationships. In-patient rates too display a wide diversity between districts and between the 3 levels of 24x7 PHCs in some districts.
- H level 24x7 PHCs recorded higher numbers of night deliveries and complicated deliveries. This proportion was less in M and L level 24x7 PHCs. The average infant deaths in the PHC areas in 2013-14 in H level PHCs was 9, in M level PHCs, 7.11 and in L level PHCs, it was 12.38. However, these averages aren®statistically significant to draw conclusions.
- H level PHCs were able to provide beneficiaries of JSY and Madilu kits

- in a more timely fashion in comparison to other levels. Infrastructure and medicine availability (both generic as well as specific to delivery related) did not differ substantially between the three levels of 24x7 PHCs.
- H level PHCs were significantly better staffed than M and L level PHCs. The proportion of H level PHCs a) having lady doctors, b) having more than 2 doctors and c) having 3 or more staff nurses was higher in comparison to other levels. In 50% of the cases, doctors in H level PHCs were reported to be staying in head-quarters (This ratio 22% 15% about and was respectively).
- The study found that *PHCs with* lady doctors had considerably higher average deliveries per thousand per year and hence, this affect was visible in H level PHCs, since the proportion of H level PHCs with lady doctors was high.
- Patterns of fund released are associated with districts rather than with performance levels of the PHCs. Thus, in terms of funds available for contingency expenditures or those related to hospital management there is no difference between H, M and L level PHCs.

www.graam.org.in x

- By and large, funds are released in two tranches, a) between July-September and b) November-December. This, together with the observation that about 62% of the **PHCs** received close to the funds earmarked during the financial year shows that most PHCs had received their funds, well in time, during the financial year. However, fund release during the first quarter of the financial year may further help the PHCs to plan their expenditures better.
- Staff nurses of H level PHCs were technically more competent in recalling issues to be observed during ANC checkups and were slightly better trained than those in other PHC levels.
- The satisfaction levels of clients (pregnant women and mothers undergoing ANC and PNC in the evaluation PHCs) was higher among H level PHCs.

The analysis of other contextual factors that affect the performance of 24x7 PHCs revealed the following insights:

 Anemia and TB were the most discussed ailments by service providers in group discussions.
 Other issues of concern were: Complications due to multiple pregnancies, skin related allergies,

- sexually transmitted diseases (including HIV) and health problems due to substance abuse (alcohol and tobacco).
- Child marriages, preference for male child, large family sizes, lack of nutrition and safe sanitation practices were the most important socio-cultural problems recognized by doctors, ANMs and communities.
- The *issue of RMPs issuing steroids* and their other questionable practices and the impact on overall health of the communities were noted as causes of concern.

Based on these findings, the following observations were made in the study:

- Given that staff nurses had considerable responsibilities in performing deliveries, it was a matter of concern that very few staff nurses had received essential training like BEmOC and IMNCI.
- Basic infrastructure like patient toilets, water filters, running water supply and presence of UPS/Generators are still lacking in some 24x7 PHCs
- The high level of ANM vacancies were bottlenecks in effective field level detection of complications of pregnancy.

www.graam.org.in xi

 The group discussions from service providers and community members show that lack of awareness and information are clearly not the reasons for social evils like child marriage, preference for male child, multiple pregnancy, neglect of women and unsafe sanitation practices to be prevalent.

Based on the results and observations, the following recommendations were made.

- Improving the technical competence of staff nurses with compulsory training in BEmOC and IMNCI and motivating the Staff Nurses for providing the best services, specifically in deliveries and over night care.
- Streamlining job responsibilities of AYUSH doctors, keeping in mind their larger role in the provision of health care.
- Exploring options for phased regularization of staff nurses and AYUSH doctors
- Exploring options for enforcement of head-quarters stay for medical doctors and encouraging rural services for lady doctors.
- Including number of deliveries as performance criteria with the highest weights, for performance based

- funding of Untied Grants (as suggested by recent changes in NRHM).
- For 24x7 PHCs which have high patient loads, exploring the option of providing special grants (or upgrading these PHCs to CHCs) for provision of extra beds, staff, transportation facilities, medicine and other infrastructure.
- Providing at least 3 staff nurses and at least one lady doctor per PHC, and more importantly, stability in staff patterns and provision of services.
- Strict enforcement of anti-quackery act.
- Developing simple SOPs for tracking complicated deliveries and referral decisions.
- Exploring possibilities of *integrated interventions* (poverty alleviation, sanitation, nutrition and women empowerment) on pilot basis, using opportunities like Sansad Adarsh Gaon Yojana, BRGF etc.

www.graam.org.in xii